

200DPG

Piston gauge

Range	L.C.	First Marking	No. of Marking	Major Markings
0-3.5	0.20	0.7	16	0,1.5,2.5,3.5
0-4	0.20	0.8	18	0,1,2,3,4
0-5	0.20	1.0	18	0,1,2,3,4,5
0-7	0.25	1.5	24	0,2,3,4,5,6,7
0-8	0.50	1.5	15	0,2,4,6,8
0-10	0.50	2	18	0,2,4,6,8,10
0-15	1.0	3	14	0,5,10,15
0-20	1.0	4	18	0,5,10,15,20
0-25	1.0	5	22	0,5,10,15,20,25
0-30	1.0	5	27	0,5,10,15,20,25,30
0-35	2.0	7	16	0,15,25,35
0-40	2.0	8	18	0,10,20,30,40
0-45	2	9	20	0,15,25,35,45
0-50	2.0	10	22	0,10,20,30,40,50
0-55	2.5	10	20	0,15,25,35,45,55
0-60	2.0	10	27	0,10,20,30,40,50,60
0-75	5.0	15	14	0,15,35,55,75
0-80	4.0	16	19	0,20,40,60,80
0-90	5.0	20	16	0,30,50,70,90
0-100	5.0	20	18	0,20,40,60,80,100
0-125	5.0	25	22	0,25,50,75,100,125
0-150	10.0	30	14	0,50,100,150
0-200	10.0	40	18	0,50,100,150,200
0-300	10.0	50	27	0,50,100,150,200,250,300
0-450	20.0	90	20	0,150,250,350,450
0-500	20.0	100	22	0,100,200,300,400,500
0-800	40.0	160	18	0,200,400,600,800
0-1000	50.0	200	18	0,200,400,600,800,1000



This is a shortened list only in psid. Please note, we can convert to any pressure unit.

Available Ranges

For Precision Gauges

200DGR

Rolling Diaphragm



PSID

Range	L.C.	First Marking	No. of Marking	Major Markings
0-3.5	0.2	0.5	17	0,0.5,1.5,2.5,3.5
0-5	0.25	0.8	23	0,1,2,3,4,5
0-7	0.4	1	17	0,1,3,5,7
0-8	0.4	1.2	19	0,2,4,6,8
0-10	0.5	1.5	19	0,2,4,6,8,10
0-15	1	2	15	0,5,10,15
0-20	1	3	19	0,5,10,15,20
0-25	1	4	23	0,5,10,15,20,25
0-30	1	5	27	0,5,10,15,20,25,30
0-35	2	5	17	0,5,15,25,35
0-40	2	6	19	0,10,20,30,40
0-50	2	8	23	0,10,20,30,40,50
0-60	2	10	27	0,10,20,30,40,50,60
0-80	4	12	19	0,20,40,60,80
0-85	5	15	16	0,25,45,65,85
0-100	5	15	19	0,20,40,60,80,100

This is a shortened list only in psid. Please note, we can convert to any pressure unit.

Available Ranges

For Precision Gauges

300DGC

Small Convoluted Diaphragm



PSID

Range	L.C.	First Marking	No. of Marking	Major Markings
0-1	0.05	0.15	19	0,0.2,0.4,0.6,0.8,1.0
0-1.5	0.1	0.20	15	0,0.5,1.0,1.5
0-2	0.1	0.30	19	0,0.5,1.0,1.5,2.0
0-2.3	0.1	0.30	22	0,0.30,0.80,1.30,1.80,2.30
0-3	0.1	0.5	27	0,0.5,1.0,1.5,2.0,2.5,3.0
0-3.5	0.2	0.5	17	0,0.5,1.5,2.5,3.5
0-5	0.2	0.8	23	0,1,2,3,4,5
0-7	0.4	1.0	17	0,1,3,5,7
0-8	0.4	1.2	19	0,2,4,6,8
0-10	0.5	1.5	19	0,2,4,6,8,10
0-15	1	2	15	0,5,10,15
0-20	1	3	19	0,5,10,15,20
0-25	1	4	23	0,5,10,15,20,25
0-30	1	5	27	0,5,10,15,20,25,30
0-35	2	5	17	0,5,15,25,35
0-40	2	6	19	0,10,20,30,40
0-45	2	9	20	0,15,25,35,45
0-50	2	8	23	0,10,20,30,40,50
0-60	2	10	27	0,10,20,30,40,50,60

This is a shortened list only in psid. Please note, we can convert to any pressure unit.


Available Ranges For Precision Gauges

400DGC

Large Convoluted Diaphragm

Inches of H₂O

Range	L.C.	First Marking	No. of Marking	Major Markings
0-1	0.050	0.20	18	0,0.2,0.4,0.6,0.8,1.0
0-2	0.10	0.40	19	0,0.50,1,1.5,2
0-4	0.20	0.60	19	0,1,2,3,4
0-5	0.20	8.00	19	0,1,2,3,4,5
0-5.5	0.25	0.75	21	0,1.5,2.5,3.5,4.5,5.5
0-8	0.40	1.60	18	0,2,4,6,8
0-10	0.5	1.5	19	0,2,4,6,8,10
0-15	0.1	3	14	0,5,10,15
0-20	1	4	18	0,5,10,15,20
0-25	1.0	4	23	0,5,10,15,20,25



This is a shortened list only in Inches of H₂O. Please note, we can convert to any pressure unit.

Magnetic 600

Low Cost Diaphragm

Inches of H₂O

Range	L.C.	First Marking	No. of Marking	* Major Markings
0-0.6	0.020	0.06	29	none
0-1	0.025	0.10	38	0.1,0.3,0.5,0.7,0.9
0-2	0.040	0.20	47	0.2,0.6,1.0,1.4,1.8
0-3	0.060	0.30	47	0.3,0.9,1.5,2.1,2.7
0-4	0.080	0.40	47	0.5,1.5,2.5,3.5,
0-5	0.100	0.50	47	0.5,1.5,2.5,3.5,4.5
0-6	0.20	0.60	29	none
0-8	0.20	0.80	38	1,3,5,7
0-10	0.25	1.00	38	1,3,5,7,9
0-12	0.30	1.20	38	1.5,4.5,7.5,10.5
0-15	0.30	1.50	47	1.5,4.5,7.5,10.5,13.5
0-20	0.40	2.00	47	2,6,10,14,18
0-25	0.50	2.50	47	2.5,7.5,12.5,17.5
0-30	0.60	3	47	3,9,15,21,27
0-40	0.80	4	47	4,12,20,28,36
0-50	1.00	5.00	47	5,15,25,35,45



This is a shortened list only in Inches of H₂O. Please note, we can convert to any pressure unit.

Model Number System For Indicators



Below you will see our available options for every indicator. Please note how each component of the model numbering system has a correlating category.

10) Switch Types

DPP175
DPP750
DPP975

12) Options

RS: Electrical Switch
(not available on DPP175)
TM
RMB: Mounting Base

11) Range

3.5 psid
5.0 psid
10 psid
15 psid
25 psid
30 psid
60 psid (DPP975 Only)

Full Model Number: XXXXX - XX - XX