





Differential Pressure
Plus Inc.
Branford, CT, U.S.A



PURIGAUGE

DIAPHRAGM FILTER STATUS GAUGE

PURIGAUGE



Quick Facts

Available Pressure Ranges

- (10,15,30, Other on Request)

Specs

- Viton Diaphragm Sensing Element
- Glass Filled Polypropylene Body
- 150 PSI System Pressure Rating
- ASME B40.1 2B Accuracy (3%-2%-3%)

Features

- Diaphragm Sensing mechanism prevents media migration from high to low port.
- John Guest ¼ push connect fittings
- Panel Mountable Dial
- Wall Mounting with Slotted Back

Accessories

- A variety of Adapters to Connect to Almost Any System
- Kits for Unique Applications

AVAILABLE ADAPTERS



Elbow Barb



Elbow Push Connect



Elbow Push Connect



Straight Barb



Stacking Push Connect




1/4 NPT

Adapter Examples:




Adapter Examples Continued:



KITS


Home Water Filter Copper Pipe Install






Pool Filter Kit Install for 1.5" PVC



Gauge and TDS Meter




DIMENSIONS



Panel Cutout


Dimensions are identical to the panel cutouts used on our models PG, RDG, DG, and LDG that use a 2.5" polymer dial.




PACKAGING OPTIONS



Individual Box



Kit Box





4 Pack Box



96 Pack Box
(14"x14"x14")


MODEL NUMBERS

MODEL	DP RANGE	HIGH PORT CONNECTION	LOW PORT CONNECTION	KITS
PF 3 Color Filter Status Green: 0-50% Range Yellow: 50-75% Range Red: 75-100% Range	10	BLANK ¼ push connect	BLANK ¼ push connect	BLANK NONE
	15	PE ¼ push connect swivel elbow	PE ¼ push connect swivel elbow	HFK HOME WATER FILTER
PN Numerical Dial	30	PT ¼ push connect swivel tee	PT ¼ push connect swivel tee	PFK POOL FILTER
		PS ¼ push connect stacking fitting	PS ¼ push connect stacking fitting	TDS TDS COMBO
		BS ¼ straight barb	BS ¼ straight barb	
		BE ¼ elbow barb	BE ¼ elbow barb	
		N4 ¼ MNPT	N4 ¼ MNPT	

Model Number Examples



Gauge only with 10PSI Range, numerical dial, no fittings:
PN-10



Filter Gauge, Home water filter kit, 10 PSI range.
PF-10-HFK



Gauge only with 10PSI Range, 1 ¼ push connect tee only, 30 PSI Range:
PF-30-PT



Gauge, 1 ¼ push connect elbow fitting, 1 ¼ straight barb fitting, 15 PSI Range
PF-15-PEBS



Differential Pressure Plus Inc. has been designing and manufacturing filter indicators and differential pressure gauges for over 25 years.



+

Web: DifferentialPressure.com

Email: info@dpgaugeusa.com

Phone: 203-481-2545

Address: 67-4 North Branford Road, Branford, CT, 06405